



Honeway
Solar

GENERATORS AND SOLAR SOLUTIONS

www.honewaysolar.com

TOOLPOWER

POWER

3K_w

PORTABLE POWER STATION

USING LITHIUM IRON PHOSPHATE BATTERY

SUPER FAST CHARGING

LIFE SPAN CAN BE MORE THAN 2500 TIMES.

SUPPORT 50HZ/60HZ SWITCHING

AC OUTPUTS SUPPORT UPS FUNCTION (TRANSFORM TIME LESS THAN 10MS)

ALL PORTS SUPPORT CHARGING AND DISCHARGING FUNCTION AT THE SAME

MULTI-OUTPUT PORTS, SUITABLE FOR CELL PHONES,

RICE COOKERS, DRONES AND CAR ELECTRONIC DEVICES.

EACH PORT WITH WATERPROOF COVER

OEM/ODM

BATTERY CAPACITY:

64000MAH (2688WH)

SOLAR PANEL INPUT:

15V-18V 5A MAX

MAXIMUM OUTPUT:

3000W

INVERTER RATED OUTPUT: 3000W

AC OUTPUT: 110V 60HZ/230V 50HZ

USB OUTPUT: QC3.0 (5V/2A)

TYPE-C OUTPUT: 2 X 7V/3A, 5V/3A, 6V/3A

20V 5A 100W





A1 | 200W / 39000MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	145Wh / 39000mAh /3.7V
Input recharging	DC15V/2.0A
Solar panel charging	DC35135 13V~26V/2.0A Max
Fully Charged Time	DC:15v: 6 hours
DC output	3xDC output 9~12.6V/10A USB output 5V/2.1A +USB output 5V/1A
AC Continuous output power	200W
Net weight	1.4kg
Product dimension	196*108*126mm
lifecycle	>1000 times

A2 | 200W / 46800MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	173Wh / 46800mAh / 3.7V
Input recharging	DC15V/2.0A
Solar panel charging	DC35135 13V~26V/2.0A Max
Fully Charged Time	DC:15v: 8~9 hours
DC output	2xDC output 9~12.6V/10A 2xUSB output 5V/3.1A (MAX) 1xType-c output 5~9V/2A
AC Continuous output power	200W
Net weight	1.5kg
Product dimension	196*108*126mm
lifecycle	>1000 times





A3B | 300W / 78000MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	288Wh / 78000mAh /3.7V
Input recharging	DC15V/3.0A
Solar panel charging	DC5521 13V~26V/3.0A Max
LED lighting	3W
DC output	1 x USB3.0 5V-9V/2A ; 1 x Type-c 5V-9V/2A ; 2 x USB 5V/2A, 1 x DC 12V/10A(DC5521); 1 x DC 24V/4A (DC5525); 1 x Cigarette Lighter (DC 12V/10A)
AC Continuous output power	300W
Wireless charging	5W
Net weight	3.2kg
Product dimension	210×146×157mm

A3C | 300W / 78000MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	288Wh / 78000mAh /3.7V
Input recharging	DC15V/3.0A
Solar panel charging	DC5521 13V~26V/3.0A Max
LED lighting	3W
DC output	1 x USB3.0 5V-9V/2A ; 1 x Type-c 5V-9V/2A ; 2 x USB 5V/2A, 1 x DC 12V/10A(DC5521); 1 x DC 24V/4A (DC5525); 1 x Cigarette Lighter (DC 12V/10A)
AC Continuous output power	300W
Wireless charging	5W
Net weight	3.2kg
Product dimension	235×150×158mm



A3D | 300W / 72800MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	270Wh / 72800mAh / 3.7V
Input recharging	DC19V/2A
Solar panel charging	DC5521 18V~28V/2.0A Max
LED lighting	3W
DC output	1 x USB3.0 5V-12V/18w ; 1 x Type-c 5V-12V/18w; 2 x USB 5V/2A, 2 x DC 12V-16v/10A(DC5521); 1 x Cigarette Lighter (DC 12V-16V/10A)
AC Continuous output power	300W
Wireless charging	5W
Net weight	2.8kg
Product dimension	210×146×157mm



A3E | 300W / 72800MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	270Wh / 72800mAh / 3.7V
Input recharging	DC19V/2.0A
Solar panel charging	DC5521 18V~28V/2.0A Max
LED lighting	3W
DC output	1 x USB3.0 5V-12V/18w ; 1 x Type-c 5V-12V/18w; 2 x USB 5V/2A, 2 x DC 12V-16v/10A(DC5521); 1 x Cigarette Lighter (DC 12V-16V/10A)
AC Continuous output power	300W
Net weight	2.8kg
Product dimension	235×150×158mm



A5 | 500W / 140400MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	520Wh / 140400mAh / 3.7V
Input recharging	DC15V/6.0A
Solar panel charging	DC5521 ~13V~26V/6.0A Max
AC output	2 x AC pure sine wave output
DC output	USB3.0: 1 * USB 5V~9V/2A ; 2 * USB 5V/3.1A; Typ-c : 1 * Type-c 5V~9V/2A ; 5521 DC output: 4 * DC 9~12.6V/10A (12A Max total) ; 1 * Cigarette Lighter 9~12.6V/10A (12A Max total)
AC Continuous output power	500W
Operating temperature	-10℃ -40℃
Net weight	6.1kg
Product dimension	306*200*176 mm





A6 | 600W / 140400MAH POWER STATION



Built-in battery	High quality lithium ion battery
Battery capacity	520Wh / 140400mAh / 3.7V
Input capacity	DC DC5521 12V-26V/8A MAX120W, TYPE-C 5V-20V/3A MAX PD60W
Solar panel charging	anderson 12V-26V/8A MAX160W
Constant power output voltage	650W (85V-120V (160V-230V))
DC output	USB 3.0 : 1 * USB 5V~12V/2A, USB: 2 * USB 5V/3.1A; Typ-c Port: 1 * Type-c 5V~20V/3A ; 5521 DC output: 4 * DC 13.5V/6A ; 1 * Cigarette Lighter (13.5V/10A MAX150W)
AC continuous output power	600W
LED lighting	4W
Wireless charging	15W
Net weight	5.9kg



T11 | 1200W / 315000MAH POWER STATION



Built-in battery	LiFePO4
Battery capacity	1008Wh/315000mAh/3.2V
Input recharging	DC 38V 6A
Solar panel charging	12V~50V/ MPPT MAX 350W
AC continuous output power	1200W
DC output	USB3.0: 2 * USB 5V~9V/2A, USB : 8* USB 5V/2A; Typ-c Port : 1 * Type-c 5V~20V/3A ;1 * Type-c 5V~9V/2A ; 5521 DC output : 2 * 12V/7A ; 1 * Cigarette Lighter : 12V/7A
AC output	4 x AC pure sine wave output
Product dimension	394*213*287mm
Does it come with Bluetooth	YES (Optional configuration)
Net weight	13.2kg

T20 | 2400W / 630000MAH POWER STATION



Built-in battery	LiFePO4
Battery capacity	2016Wh/630000mAh/3.2V
AC input	1600W max , About 1.5h Fully Charged
Solar panel charging	12V~80V/8.5A MPPT MAX 650W
AC continuous output power	2400W
DC output	4 X USB QC 3.0: 5V~9V/2A MAX 18W 2 X Typ-c Port: 5V~15V/3A 20V 5A 100W MAX 2 X 5521 DC output: 13.5V/10A(Regulated voltage) 1 X Cigar socket: 13.5V/10A(Regulated voltage)
AC output	4 x AC pure sine wave output
UPS	10ms switching
Product dimension	470*290*325mm
Net weight	26.5kg





T30 | 3000W / 840000MAH POWER STATION



Built-in battery	LiFePO4
Battery capacity	2688Wh/840000mAh/3.2V
AC input	1600W max , About 2.5h Fully Charged
Solar panel charging	12V~80V/8.5A MPPT MAX 650W
AC continuous output power	3000W
DC output	4 X USB QC 3.0: 5V~9V/2A MAX 18W 2 X Typ-c Port: 5V~15V/3A 20V 5A 100W MAX 2 X 5521 DC output: 13.5V/10A(Regulated voltage) 1 X Cigar socket: 13.5V/10A(Regulated voltage)
AC output	4 x AC pure sine wave output
UPS	10ms switching
Product dimension	470*335*415mm
Net weight	35kg



T50 | 5376WH/1680000MAH POWER STATION



Built-in battery	LiFePO4
Battery capacity	5376Wh/1680000mAh/3.2V
AC input	1600W max , About 4h Fully Charged
Solar panel charging	12V~80V/8.5A MPPT MAX 650W
AC continuous output power	3000W
DC output	4 X USB QC 3.0: 5V~9V/2A MAX 18W 2 X Typ-c Port: 5V~15V/3A 20V 5A 100W MAX 2 X 5521 DC output: 13.5V/10A(Regulated voltage) 1 X Cigar socket: 13.5V/10A(Regulated voltage)
AC output	4 x AC pure sine wave output
UPS	10ms switching
Product dimension	470*290*545mm
Net weight	56kg

EXPANSION PACKAGE



T20

Max number	2PCS
Total capacity	6048WH/1890000MAH/3.2V

T30

Max number	2PCS
Total capacity	8064WH/2520000MAH/3.2V